

Réf #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14	((average with calculat\$5) same (minimum with guarantee\$3)) and @ad<"20031014"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 19:15
L2	0	((average with calculat\$5) same (minimum with guarantee\$3 with resource)) and @ad<"20031014"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 19:07
L3	2	((average with port) same (minimum with guarantee\$3)) and @ad<"20031014"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 19:16
L4	9	(value same determin\$4 same port same (guaranteed with minimum)) and @ad<"20031014"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 19:16
S1	2	"20030225905" AND EXCE\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 19:27
S2	0	"20030225905" AND (EXCE\$6 SAME PORT)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 19:27
S3	1	"20030225905" AND EXCE\$6 AND PORT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 19:51
S4	3026	(control\$5 same (data with flow) same exce\$6) and @ad<"20031110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 20:21
S5	804	(control\$5 with (data with flow) with exce\$6) and @ad<"20031110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 20:22

S6	67	(control\$5 with (data with flow) with exceeding) and @ad<"20031110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 19:53
S7	0	(control\$5 with (data with flow) with exceeding with value with service) and @ad<"20031110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 19:53
S8	19	(control\$5 with (data with flow) with exceeding with value) and @ad<"20031110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 19:55
S9	2	(control\$5 with (data with flow) with exceeding) and @ad<"20031110" and (710/29. ccls. or 710/31.ccls. or 710/32. ccls. or 709/233.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 19:53
S10	8	(control\$5 with (data near flow) with exceeding with value) and @ad<"20031110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 19:56
S11	11	(control\$5 with (data near flow) with resource with value) and @ad<"20031110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 19:56
S12	1	(control\$5 with (data near flow) with (shar\$4 near4 resource) with value) and @ad<"20031110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 19:59
S13	45	(control\$5 with (data near flow) with (exceed\$4 with (amount or value))) and @ad<"20031110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 20:00
S14	0	(control\$5 same (data with flow) same exce\$6) and @ad<"20031110" and (710/29. ccls. or 710/31.ccls. or 710/32. ccls. or 709/233.ccls.) and doshi. in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 20:22
S15	0	(control\$5 with (data with flow) with exce\$6) and @ad<"20031110" and doshi.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 20:22

S16	2	(control\$5 with (data with flow) with exce\$6) and doshi.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 20:22
S17	72	(control\$5 and (data and flow) and exce\$6) and doshi.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 20:22
S18	0	(control\$5 and (data and flow) and exce\$6).clm. and doshi.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 20:22
S19	0	(shar\$5 with usage with value with calculat\$6 with exce\$7 with threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 16:13
S20	0	(shar\$5 with usage with value with calculat\$6 with great\$3 with threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:10
S21	0	(shar\$5 with usage with value with calculat\$6 with over with threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:10
S22	0	(shar\$5 with usage with value with calculat\$6 with more with threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:10
S23	2	(shar\$5 same usage same value same calculat\$6 same exce\$7 same threshold) and @ad<"20031110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:12
S24	2	(shar\$5 same usage same value same calculat\$6 same exce\$7 same guaranteed) and @ad<"20031110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:12
S25	4	(shar\$5 same usage same value same calculat\$6 same exce\$7 same limit) and @ad<"20031110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:15

S26	46	(usage same value same calculat\$6 same exce\$7 same limit) and @ad<"20031110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:15
S27	63	(usage same value same calculat\$6 same exce\$7 same threshold) and @ad<"20031110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:15
S28	21	(usage with value with calculat\$6 with (exce\$7 or "over" or "more") with threshold) and @ad<"20031110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:21
S29	1	(usage with value with calculat\$6 with (exce\$7 or "over" or "more") with (guaranteed near4 minimum)) and @ad<"20031110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:22
S30	1	(usage with value with calculat\$6 with (exce\$7 or "over" or "more") with (guaranteed with minimum)) and @ad<"20031110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:22
S31	0	(usage with value with calculat\$6 with (exce\$7 or "over" or "more") with (guaranteed with amount)) and @ad<"20031110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:22
S32	0	(usage with value with calculat\$6 with (exce\$7 or "over" or "more") with (guaranteed with service)) and @ad<"20031110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:22
S33	2	(usage with value with calculat\$6 with (exce\$7 or "over" or "more") with (guaranteed)) and @ad<"20031110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:26
S34	3	(usage with calculat\$6 with (exce\$7 or "over" or "more") with (guaranteed)) and @ad<"20031110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:27
S35	0	((usage with resource) same calculat\$6 same (exce\$7 or "over" or "more") same (guaranteed)) and @ad<"20031110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:27

S36	14	((usage) same calculat\$6 same (exce\$7 or "over" or "more") same (guaranteed)) and @ad<"20031110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:36
S37	13	((usage) same calculat\$6 same (exce\$7 or "over" or "more") same (guaranteed)) and @ad<"20031110" and (add\$5 or sum\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:38
S38	1	((usage) same calculat\$6 same (exce\$7 or "over" or "more") same (guaranteed) same (adding or added or additional or aggregat\$5 or sum\$6)) and @ad<"20031110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:40
S39	1	((usage) same calculat\$6 same (exce\$7 or "over" or "more") same (guaranteed with minimum)) and @ad<"20031110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:41
S40	1	((use) same calculat\$6 same (exce\$7 or "over" or "more") same (guaranteed with minimum)) and @ad<"20031110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:41
S53	0	(average with (determin\$4 or calculat\$5) with usage with exceed\$3 with (guaranteed near5 minimum))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 16:14
S54	1	(average same (determin\$4 or calculat\$5) same usage same exceed\$3 same (guaranteed near5 minimum))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 16:15
S55	2	(average same (determin\$4 or calculat\$5) same usage same exceed\$3 same (guaranteed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 16:16
S56	21	(average same (determin\$4 or calculat\$5) same usage same exceed\$3 same (minimum))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 16:16
S57	16	(average same (determin\$4 or calculat\$5) same usage same exceed\$3 same (minimum)) and @ad<"20031014"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 16:21

S58	1347	(average same (determin\$4 or calculat\$5) same exceed\$3 same (minimum or guaranteed)) and @ad<"20031014"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 16:21
S59	21	(average same (determin\$4 or calculat\$5) same exceed\$3 same ((minimum or guaranteed) near amount)) and @ad<"20031014"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 16:26
S60	27	(average same (determin\$4 or calculat\$5) same greater same ((minimum or guaranteed) near amount)) and @ad<"20031014"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 16:50
S66	2	(average with calculat\$5 with exceed\$3 with guarantee\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 16:54
S67	2	(average with calculat\$5 with exceed\$3 with guarantee\$3) and @ad<"20031014"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 16:57
S68	0	(average with calculat\$5 with surpass\$4 with guarantee\$3) and @ad<"20031014"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 16:57
S69	1	(average with calculat\$5 with greater with guarantee\$3) and @ad<"20031014"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 16:58
S71	0	(average same calculat\$5 same greater same (amount with minimum with guarantee\$3)) and @ad<"20031014"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 16:59
S72	0	((average same calculat\$5) same greater same (amount with minimum with guarantee\$3)) and @ad<"20031014"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 17:00
S73	6	((average same calculat\$5) same greater same (minimum with guarantee\$3)) and @ad<"20031014"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 19:07